

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	162	lubricat\$4 near2 camshaft\$2 and (screw\$2 or thread\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/30 17:14
L3	11	lubricat\$4 near2 camshaft\$2 and (screw\$2 or thread\$3) near2 (lifter\$2 or tappet\$2 or lifter\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/30 17:16
L4	11	lubricat\$4 near2 camshaft\$2 and (screw\$2 or thread\$3) near2 (lifter or tappet or lifter)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/30 17:25
L5	11	lubricat\$4 near2 camshaft\$2 and (screw\$2 or thread\$3) near2 (lifter or tappet or follower)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/30 17:25
L7	1	10/646694 and communication near2 groove and communication near2 passage\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/30 18:32
L8	1	10/646694 and communication near2 groove and communication near2 passage\$2 and annular near2 groov\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/30 18:32
L9	1	10/646694	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/30 21:09
L11	18	corrigan.xa. and delphi	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/30 20:09
L12	1	10/646694 and "56"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/30 21:09
L14	2390	123/90.48-90.59.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/30 23:09

S2	15469	oil and cylinder near2 head	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/26 10:37
S3	3288	oil near2 (passag\$2 or channel\$2) and cylinder near2 head	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/26 10:47
S4	806	123/193.5.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/26 10:49
S5	814	123/193.3.ccls. not S4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/26 10:48
S6	1664	123/193.6.ccls. not S4 not S5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/26 10:48
S7	348	123/193.4.ccls. not S4 not S5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/26 10:48
S8	755	123/193.2.ccls. not S4 not S5 not S6 not S7	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/26 10:48
S10	1	10/646694	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/30 18:28
S11	0	10/646694 and lifter and lefter near2 rod and oil near2 passage and oil near2 pump and arm	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/26 11:13
S12	1	10/646694 and lifter and lifter near2 rod and oil near2 passage and oil near2 pump and arm	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/30 17:12

S13	1	10/646694 and screw near2 lifter	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/26 11:22
S14	915	123/90.27.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/26 11:22
S15	1286	123/90.31.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/26 11:22
S16	584	474/110.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/26 11:51
S17	489	474/111.ccls. not S16	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/26 11:23
S18	0	474/110-111.ccls. and screw near2 lifter	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/26 11:51
S19	144	474/110-111.ccls. and screw	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/26 11:56
S20	33	474/110-111.ccls. and screw and pump	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/30 22:54
S21	80	123/90.54.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/27 16:54
S22	19	123/90.54.ccls. and screw	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/28 16:43

S23	0	123/90.54.ccls. and screw and (oil or lubricat\$5) near3 camshaft\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/28 16:12
S24	2	123/90.48-90.59.ccls. and screw and (oil or lubricat\$5) near3 camshaft\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/30 23:09
S25	0	123/90.54.ccls. and screw and (intake or inlet) near2 camshaft\$2 and (exhaust or outlet) near2 camshaft\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/28 16:28
S26	3	123/90.54.ccls. and screw and (intake or inlet) and (exhaust or outlet)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/28 16:28
S27	2	123/90.54.ccls. and screw and pump\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/28 17:10
S28	1	123/90.54.ccls. and screw and pump\$2 and camshaft\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/28 17:10
S29	1	10/646694	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/28 20:03
S30	1	10/646694 and cylinder near2 head	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/28 20:04
S31	1	10/646694 and cylinder near2 head	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/28 20:04